



Noise Level Results at CM1																												
Date	Time			Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90							L10						
					Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)		Average L90	Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)
05/02/2025	11:47	-	12:17	Sunny	55.5	59.1	54.4	53.7	49.2	53.2	55.2	58.2	58.7	measured level < baseline level	52.4	54.5	46.6	46.2	46.7	47.6	50.3	57.4	59.1	56.5	53.7	50.5	56.3	56.3
11/02/2025	10:02	-	10:32	Fine	53.4	53.8	54.7	54.6	52.4	54.2	53.9	56.9	58.7	measured level < baseline level	51.4	49.2	50.8	48.6	50.8	48.3	50.0	56.3	56.8	56.7	58.1	57.6	58.0	57.3
21/02/2025	11:43	-	12:13	Sunny	54.3	54.6	53.8	52.7	54.3	54.2	54.0	57.0	58.7	measured level < baseline level	51.3	50.8	51.3	50.2	50.7	50.3	50.8	57.6	58.2	57.6	58.4	56.9	57.8	57.8
27/02/2025	10:30	-	11:00	Sunny	60.8	59.8	57.6	56.3	54.3	53.8	57.9	60.9	58.7	measured level < baseline level	52.0	51.9	51.0	50.6	50.4	49.8	51.0	63.2	62.7	61.0	58.9	56.2	55.9	60.5
													Average Construction Noise Level	57.2														

Maximum Leq-30min, dB(A)	Minimum Leq-30min, dB(A)
60.9	56.9

Noise Level Results at CM2																														
Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)																	
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)		Average L90	Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10	
05/02/2025	12:53	-	13:23	Sunny	70.6	70.4	69.8	70.0	71.8	69.3	70.4	73.4	64.2	72.8	L90	60.2	58.6	58	54.5	56.3	53.5	57.4	L10	74	73.6	73.0	72.9	75.6	71.9	73.7
11/02/2025	11:10	-	11:40	Fine	70.2	70.3	70.6	70.2	69.8	70.4	70.3	73.3	64.2	72.7		59.5	58.4	58.3	57.9	59.3	60.8	59.1		73.1	73.4	74.6	74.6	73.1	73.8	73.8
21/02/2025	13:04	-	13:34	Sunny	70.3	70.2	71	70.6	69.7	69.8	70.3	73.3	64.2	72.7		60.3	61.8	60.7	60.3	59.5	61.1	60.7		73.5	74.6	73.4	73.8	72.6	73.4	73.6
27/02/2025	12:00	-	12:30	Sunny	71.0	71.4	72.1	71.6	69.2	71.6	71.2	74.2	64.2	73.8		61.1	61.1	60.5	61.8	61.8	61.6	61.3		74.7	74.7	75.5	74.6	72.0	73.7	74.3
													Average Construction Noise Level															73.0		

Maximum Leq-30min, dB(A)	Minimum Leq-30min, dB(A)
74.2	73.3

Noise Level Results at CM3																												
Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90							L10							
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)		Average L90	Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)
05/02/2025	12:27	-	12:57	Sunny	62.4	64.0	64.2	63.8	64.2	63.6	63.7	66.7	71.5	measured level ≤ baseline level	50.1	49.2	47.8	50.5	49.3	50.1	49.6	66.1	67.4	68.3	67.6	66.9	67.8	67.2
11/02/2025	10:37	-	11:07	Fine	64.7	64.6	64.1	65.3	64.3	64.7	64.6	67.6	71.5	measured level ≤ baseline level	49.6	49.4	48.3	49.6	50.7	49.2	49.5	68.4	67.5	67.2	67.7	68.6	68.7	68.1
21/02/2025	13:36	-	14:06	Sunny	64.3	63.7	63.8	64.6	64.8	65.2	64.4	67.4	71.5	measured level ≤ baseline level	50.7	50.4	50.7	51.4	51.3	51.6	51.0	68.8	68.0	67.8	67.4	68.4	68.7	68.2
27/02/2025	11:05	-	11:35	Sunny	68.3	67.4	66.2	67.5	68.5	66.5	67.5	70.5	71.5	measured level ≤ baseline level	51.9	48.4	51.6	53.7	51.8	52.8	52.0	70.8	71.4	69.6	70.1	69.8	69.3	70.2
													Average Construction Noise Level	68.1														

Maximum Leq-30min, dB(A)	Minimum Leq-30min, dB(A)
70.5	66.7

Noise Level Results at CM4a																														
Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)																	
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90	Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10		
05/02/2025	13:33	-	14:03	Sunny	63.3	62.5	62.8	65.0	63.7	64.2	63.7	66.7	75.0	measured level ≤ baseline level	L90	48.2	50.6	49.8	53.9	54.2	56.7	53.2	L10	67.1	65.6	66.6	68.0	67.6	67.7	67.2
11/02/2025	11:59	-	12:29	Fine	64.2	63.7	63.5	63.4	64.5	64.2	63.9	66.9	75.0	measured level ≤ baseline level		52.1	52.7	52.4	53.2	54.2	53.4	53.1		69.4	68.7	68.3	68.4	67.5	68.3	68.5
21/02/2025	14:41	-	15:11	Sunny	67.4	68.3	67.5	65.1	65.7	68.1	67.2	70.2	75.0	measured level ≤ baseline level		56.4	56.7	55.4	54.3	55.7	55.6	55.7		70.6	71.2	71.6	70.4	70.6	71.5	71.0
27/02/2025	13:00	-	13:30	Sunny	62.1	63.4	63	63.6	63.3	62.8	63.1	66.1	75.0	measured level ≤ baseline level		53.1	53.6	51.2	51.5	53.7	52.9	52.8		65.8	67.3	66.6	67.1	66.6	66.6	66.7
													Average Construction Noise Level	67.5																

Maximum Leq-30min, dB(A)	Minimum Leq-30min, dB(A)
70.2	66.1

Noise Level Results at CM10																												
Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90							L10							
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)		Average L90	Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)
05/02/2025	14:12	-	14:42	Sunny	57.3	56.7	58.2	58.0	56.8	57.1	57.4	-	60.9	measured level ≤ baseline level	54.1	56	57.4	56.7	55.3	55.4	55.9	60.6	59.8	57.8	60.4	61.7	60.5	60.3
11/02/2025	10:25	-	10:55	Fine	60.3	60.5	61.3	61.3	59.9	59.0	60.5	-	60.9	measured level ≤ baseline level	55.6	56.1	54.6	54.6	55.3	54.7	55.2	63	62.7	63.2	63.2	62.1	62.2	62.8
21/02/2025	11:00	-	11:30	Sunny	55.8	58.4	56.6	55.9	58.8	55.9	57.1	-	60.9	measured level ≤ baseline level	52.7	55.2	54.7	52.8	53.6	53.6	53.9	57.3	60.5	57.8	57.6	57.4	57.5	58.2
27/02/2025	9:02	-	9:32	Sunny	57.2	56.2	56.2	57.1	56.8	56.9	56.8	-	60.9	measured level ≤ baseline level	54.2	53.7	53.6	54.2	54.0	53.4	53.9	61.2	62.8	61.2	62.6	63.4	62.7	62.4
													Average Construction Noise Level	57.9														

Maximum Leq-30min, dB(A)	Minimum Leq-30min, dB(A)
60.5	56.8



Noise Level Results at CM13

Date	Time			Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10							
					Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10
05/02/2025	14:59	-	15:29	Sunny	51.2	50.9	50.8	51.8	50.9	51.5	51.2	-	54.4	measured level ≤ baseline level	43.6	45.5	44.6	43.8	45.8	42.9	44.5	54.6	53.4	53.8	54.9	55.2	54.1	54.4		
11/02/2025	14:19	-	14:49	Fine	51.6	50.4	50.7	49.6	59.2	51.5	53.8	-	54.4	measured level ≤ baseline level	44.9	45.1	45.0	44.2	45.6	45.4	45.1	54.4	53.4	53.8	52.3	58.8	54.0	55.0		
21/02/2025	15:00	-	15:30	Sunny	50.8	48.8	48.1	47.7	52.0	53.7	50.7	-	54.4	measured level ≤ baseline level	45.2	44.3	43.7	43.8	44.9	50.1	46.0	53.6	51.7	51.0	50.1	56.4	56.3	53.9		
27/02/2025	9:54	-	10:24	Sunny	51.2	51.6	51.3	51.0	51.5	51.6	51.4	-	54.4	measured level ≤ baseline level	44.6	44.5	44.5	44.5	44.3	44.8	44.5	54.2	53.7	54.6	53.2	54.2	54.6	54.1		
Average Construction Noise Level													51.8																	
Maximum Leq-30min, dB(A)											Minimum Leq-30min, dB(A)																			
53.8											50.7																			

Noise Level Results at CM14

Date	Time			Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10							
					Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10
05/02/2025	15:33	-	16:03	Sunny	56.4	55.6	55.4	55.3	54.3	55.1	55.4	58.4	47.4	58.0	L90	47.2	46	46.3	46.7	47.2	45.1	46.5	L10	59.3	58.4	60.3	60.1	61.7	60.5	60.2
11/02/2025	13:37	-	14:07	Fine	61.9	62.1	54.3	53.5	57.7	53.3	58.7	61.7	47.4	61.6		48.4	44.9	46.3	46.0	45.6	44.8	46.2		62.7	58.6	57.8	56.2	61.2	57.1	59.6
21/02/2025	14:25	-	14:55	Sunny	54.9	54.6	54.6	55.5	61.0	54.0	56.6	59.6	47.4	59.3		45.1	46.5	46.3	48.2	47.9	46.1	46.8		58.5	58.2	57.5	58.6	59.8	57.5	58.4
27/02/2025	10:27	-	10:57	Sunny	54.3	55.7	56.7	55.1	55.8	54.7	55.5	58.5	47.4	58.1		48.2	47.6	47.9	48.3	46.1	46.7	47.5		60.2	59.1	59.4	60.4	60.6	60.3	60.0
Average Construction Noise Level													59.3																	
Maximum Leq-30min, dB(A)											61.7		Minimum Leq-30min, dB(A)																	

Noise Level Results at CM15a

Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10							
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10
05/02/2025	16:04	-	16:34	Sunny	68.8	67.4	67.2	68.6	68.7	67.2	68.0	71.0	64.7	69.9	46.4	44.6	45.7	44.3	44.5	46.3	45.4	74.0	73.3	72.9	73.5	72.1	72.2	73.1	
11/02/2025	12:59	-	13:29	Fine	69.3	67.6	67.8	68.0	66.8	69.1	68.2	71.2	64.7	70.1		45.2	46.3	44.3	45.5	47.4	49.1	46.6	73.3	72.0	71.4	72.3	71.4	72.7	72.2
21/02/2025	13:50	-	14:20	Sunny	69.5	66.6	67.5	67.9	67.3	66.7	67.7	70.7	64.7	69.4		50.7	48.5	50.2	49.8	49.6	50.1	49.9	74.1	70.2	72.2	71.4	72.2	70.3	71.9
27/02/2025	11:03	-	11:33	Sunny	69.3	68.2	67.8	69.6	69.4	68.5	68.9	71.9	64.7	70.9		46.2	44.8	45.7	46.3	46.7	45.2	45.9	74.4	72.6	71.6	73.5	72.6	73.3	73.1
Average Construction Noise Level													70.1																
Maximum Leq-30min, dB(A)											71.9	Minimum Leq-30min, dB(A)																	

Noise Level Results at CM16




Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10																					
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10														
05/02/2025	14:23	-	14:53	Sunny	60.8	60.2	57.7	59.6	59.3	57.3	59.3	-	71.9	measured level < baseline level	55.8	55.2	55.3	55.1	55.8	54.9	55.4	63.2	62.9	59.5	61.9	61.5	59.4	61.6															
11/02/2025	13:40	-	14:10	Fine	57.2	58.5	58.4	57.5	57.4	58.0	57.9	-	71.9	measured level < baseline level	54.6	54.7	53.6	53.6	55.3	54.7	54.5	66.1	65.2	64.8	65.8	65.1	64.7	65.3															
21/02/2025	15:16	-	15:46	Sunny	60.6	59.7	61.4	61.8	60.7	61.8	61.1	-	71.9	measured level < baseline level	56.2	56.7	55.4	57.8	57.1	57.6	56.9	65.2	64.7	64.2	63.2	63.7	64.8	64.4															
27/02/2025	14:30	-	15:00	Sunny	62.6	61.5	63	62.1	59.8	60.4	61.7	-	71.9	measured level < baseline level	56.7	57.4	57.0	56.3	55.1	56.1	56.5	65.5	64.3	66.3	64.4	63.1	63.4	64.6															
												Average Construction Noise Level		60.0																													
												Maximum Leq-30min, dB(A)		61.7														Minimum Leq-30min, dB(A)		57.9													



Noise Level Results at CM18

Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10								
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10	
05/02/2025	15:36	-	16:06	Sunny	62.0	62.3	62.4	62.4	62.5	63.1	62.5	65.5	56.6	64.9	44.3	42.6	43.8	43.7	44.6	44.9	44.0	64.8	65.8	66.8	68.4	67.6	66.2	66.8		
11/02/2025	12:18	-	12:48	Fine	64.8	67.7	62.1	65.7	62.4	64.4	65.2	68.2	56.6	67.8		46.3	45.1	46.1	48	47.1	45.9	46.5	65.1	65.0	66.5	65.1	62.0	64.3	64.9	
21/02/2025	13:15	-	13:45	Sunny	65.2	65.4	63.2	62.7	64.8	63.0	64.2	67.2	56.6	66.8		45.5	45.1	51.5	43.3	43.6	43.6	46.6	67.7	62.7	65.1	65.5	66.5	64.7	65.6	
27/02/2025	13:20	-	13:50	Sunny	63.1	65.1	64.6	63.7	62.9	64.3	64.0	67.0	56.6	66.6		44.8	43.7	43.8	44.6	44.2	43.7	44.2	68.0	67.5	67.6	68.1	67.4	68.3	67.8	
Average Construction Noise Level												66.5																		
Maximum Leq-30min, dB(A)											68.2		Minimum Leq-30min, dB(A)																	

Noise Level Results at CM20

Date	Time		Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	Leq-30min with free-field correction, dB(A)	Baseline Level, dB(A)	Construction Noise Level, Leq-30min, dB(A)	L90								L10																	
				Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)						Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L90		Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)	Average L10										
05/02/2025	16:21	-	16:51	Sunny	53.4	53.5	53.4	53.9	54.6	53.4	53.7	56.7	57.8	measured level ≤ baseline level	L90	45	47.2	43.6	43.7	44	44.5	44.9	L10	57.6	58.1	58.1	54.3	57.3	57.8	57.4									
11/02/2025	11:40	-	12:10	Fine	63.5	47.3	44.9	42.3	44.4	43.1	56.0	57.8	52.8	44.8		42	41.3	40.2	40.7	40.4	41.9	67.9		48.4	47.1	43.5	45.9	44.8	60.3										
21/02/2025	12:40	-	13:10	Sunny	49.6	48.4	48.4	50.5	48.2	48.8	49.1	57.8	measured level ≤ baseline level	47.6		44.3	43.0	45.4	43.1	47.0	45.4	51.1		50.5	48.4	50.0	49.3	50.3	50.0										
27/02/2025	14:31	-	15:01	Sunny	54.2	56.7	54.2	54.7	55.0	56.1	55.3	58.3	57.8	48.2		45.0	46.2	44.6	44.7	45.6	46.2	45.4		57.6	59.2	58.2	57.4	58.9	58.4	58.3									
												Average Construction Noise Level	52.5																										
												Maximum Leq-30min, dB(A)	59.0													Minimum Leq-30min, dB(A)	52.1												





Note:

As two of the monitoring dates (13 January 2025 and 21 January 2025) fell within the exam period of the school, the limit level of noise monitoring of these two monitoring dates was set to be 65 dB(A), while the limit level of noise monitoring of the other monitoring dates were remained as 70 dB(A).

